

FIG. 1




FIG. 7

TOEPLITZ 2000




FIG. 2

24545
(3 of 24)

24545-3



FIG.3




FIG. 4




FIG. 6




FIG. 5

29045
(6 of 24)

SPECIMEN	HCV RNA MOLECULES									
	10 ⁷	10 ⁶	10 ⁵	10 ⁴	10 ³	10 ²	10	0		
1	2	3	4	5						



FIG.8




FIG.9




FIG. 10

1000-1000-1000-1000-1000




FIG. 11




FIG. 12A




FIG. 12B

24545
(8 of 24)




FIG 13

29545
(9 of 24)




FIG. 14





FIG. 15



29545
(11 of 24)


2000 1000 500 250 125 62.5

2000 1000 500 250 125 62.5

Without Ligation

With Ligation

FIG.18



24545
(13 of 24)




Fig. 20

29545
(140 of 24)







Figure 21 A-B

29545
(15 of 24)



21 C



21 D

Figure 21 C-D







Figure 22

Inhibition of biotin-avidin on RAM

(Bst/P29)

Bst polymerase ϕ 29 polymerase



29045
(17.04.24)
Figure 23

29545
(18 of 24)




FIG. 17

ROLING CIRCLE +
PRIMER EXTENSION




FIG. 24

29545
(19 of 24)

RAM with 1, 2, and 3 primers






FIGURE 25



29545
(20 of 24)

B R O N C H I O B I O



- FIG. 26




FIG 27 -





Figure 28

29545
(23 of 24)

P.29

OCT-12-2000 23:30

FIGURE 29






Figure 3C